

When art meets precision, creativity and craftsmanship come together in perfect harmony.

Discover the flawless fusion of beauty and precision with Greenply's Pre-laminated MDF Perfect Design Range, transforming the ordinary into the extraordinary.

A COLLECTION OF FINISHES, EACH ADDING ITS OWN UNIQUE TOUCH TO ELEVATE YOUR SPACE

- Timeless Solids: A perfect blend of enduring elegance and versatile style.
- Wondrous Wood: A celebration of nature's beauty and enduring charm.
- Sewed Stories: Crafting unique narratives, one stitch at a time.

ELEVATE INTERIORS WITH FEATURES THAT SET US APART:



Made with
PROD-IQ
NEO TECH



Wide Range
of Colours
& Textures



Stain
Resistance



Abrasion
Resistance



Made with
Renewable
Energy



Anti Bacterial,
Anti Fungal &
Anti Viral

GO AHEAD AND GIFT GREENPLY PRE-LAM RANGE THE EXQUISITE COMBINATION OF STYLE AND PRECISION THAT GREENPLY PRE-LAMINATED MDF RANGE OFFERS:

- Greenply Pre-lam Boil Pro 500
- Greenply Pre-Lam 710 HDMR HDF
- Greenply Pre-Lam Interior MDF
- Greenply Pre-Lam Exterior MDF

GREENPLY SPECIALITY PANELS PRIVATE LIMITED

(Wholly owned subsidiary of Greenply Industries Limited)

Survey No 17/1, Halol Road, Sherpura,

Savli Vadodara, Gujarat- 391520

Toll free No. 1800-103-4050 | Web. www.greenply.com/mdf

PRELAM MDF

Greenply

PERFECT RANGE

Green
Greenply
HAR ZARURAT KA REPLY

THE



OF
PRECISION

PRE-LAM MDF PERFECT RANGE



ABOUT US

Greenply Industries is among India's largest interior infrastructure companies transforming Indian interiors spaces for more than three decades with comprehensive range of plywood & block boards, MDF, decorative veneers, fashion laminates, flush doors, and other allied products.

Greenply Prelaminated MDF embodies a refined artistry that goes beyond aesthetics. Crafted with advanced PRODIQ NEO TECH, each panel not only enchants the eye but also boasts exceptional durability and strength, ensuring your interiors stand the test of time.

With a range of thoughtfully curated textures and colors, Greenply's Prelaminated MDF effortlessly enhances any decor, striking the perfect balance between elegance and practicality. This exquisite collection brings a subtle sophistication to your home, making it the perfect choice for those who appreciate a lifestyle enriched by design that elevates everyday living.

Greenply

PRELAM MDF



Greenply

Greenply

PERFECT SERIES

The Perfect Series combines quality, versatility, and refined design, bringing a sense of effortless style to any interior. With a curated selection of 50 distinctive designs, this collection is crafted to suit every space—from cozy living areas to modern office environments.


Each design in the Perfect Series strikes a balance between sophistication and durability, creating interiors that feel both welcoming and lasting. Whether you're aiming to add a subtle touch of texture or make a bold design statement, these boards offer endless possibilities to enhance your environment.

More than a collection, the Perfect Series represents the art of fine craftsmanship and thoughtful design. Transform your space into a sanctuary of comfort and style, with surfaces that bring timeless beauty and character to every corner.




Timeless Solids


Solids bring captivating charm to any space, creating an atmosphere that is refreshing and inviting. A simple splash of color can uplift moods and transform your surroundings. At Greenply, our exquisite range of pre-laminated solid-colored boards offers a stunning spectrum of shades that enhance your interiors and reflect your personal style.



1101 | POLAR WHITE



1102 | OFF WHITE




1251 | SILVERY GREY




1252 | GREY



1253 | DARK GREY



1300 | NEO BLACK



1121 | CREAM



1191 | RED



1281 | BLUE



Sewed Stories

Embracing the timeless art of intertwining threads and needles, we knit spaces that exude a sense of royalty, offering a delightfully tactile experience that pleases the eyes and appeals to our sense of touch. Pre-laminated boards will sew plush interior stories, ensuring a luxurious and inviting experience for every consumer.




5900 | FAB CREAM



5901 | FAB BROWN



5902 | LINEN CREAM



5903 | LINEN GREY



Greenply
PRELAM MDF

Wondrous Wood

The warmth of wood infuses spaces with a rich, lasting character. Our Pre-laminate boards capture this essence, bringing a touch of nature that transforms your surroundings with comfort and elegance.



1201 | AVALON TEAK



1202 | GLASTOBURY TEAK



1609 | LEVANTO WALNUT



1610 | EXALTA WALNUT





1083 | RIVER WOOD LIGHT



1606 | ASIAN WALNUT LIGHT



1603 | LATIN WALNUT



1400 | OAK



1200 | NAINA TEAK



1040 | CLASSIC WENG 6FT



1084 | RIVER WOOD DARK



1605 | ASIAN WALNUT DARK



1604 | LATIN WALNUT DARK



5097 | VIROLA



5098 | VIDAR



5099 | DURINI






1010 | MOLDAU ACACIA LIGHT 6FT 




1011 | MOLDAU ACACIA DARK 6FT 



1608 | WALNUT CREEK LIGHT 



1607 | WALNUT CREEK DARK 



Greenply
PRELAM MDF



1000 | HILAND PINE



1203 | WHITE TEAK



1851 | SAND CROSS LINE 6FT



1100 | THANSAU MAPLE 6FT



1600 | CLASSIC PLANKED
WALNUT LIGHT



1030 | SAPELLI



1041 | CROWN WENGE



1204 | THAI TEAK



1850 | CHOCO CROSS LINE 6FT



1150 | BAVERIAN BEECH 6FT



1601 | CLASSIC PLANKED WALNUT



1031 | MAHOGANY





1081 | BRISTOL WOOD




1082 | PLATEAU APPLE




1080 | OXFORD CHERRY 6FT



BALANCING




9995 | WHITE




9993 | FROSTY


FINISHES



SUEDE FINISH



MATT FINISH



SUPER MATT FINISH

TECHNICAL SPECIFICATIONS



SPECIFICATION FOR PRE LAMINATED MDF BOARD IS 14587				
Sl.No.	PROPERTIES	UNIT	EXTERIOR GRADE I	INTERIOR GRADE II
A	Length tolerance		±3mm/meter	±3mm/meter
B	Width tolerance		±3mm/meter	±3mm/meter
C	Thickness tolerance		±0.3mm	±0.3mm
D	Squareness		2mm/meter	2mm/meter
E	Edge Straightness		2mm/meter	2mm/meter
1	Density	Kg/m3	600-900	600-900
2	Variation from mean density, Max	%	±10	±10
3	Moisture content	%	5 to 10	5 to 10
4	Moisture from mean density, Max	%	±3	±3
5	Water absorption, Max			
	a) After 2hr soaking	%	6	9
	b) After 24hr soaking	%	12	18
6	Thickness swelling, After 2hr soaking, Max,		4	7
7	Modulus of rapture MOR, Min			
	(a) Up to 20mm			
	Average	N/mm2	28	28
	Minimum	N/mm2	25	25
	(b) Above 20 mm			
	Average	N/mm2	25	25
	Minimum	N/mm2	22	22
8	Modulus of elasticity MOE, Min			
	(a) Up to 20mm			
	Average	N/mm2	2800	2800
	Minimum	N/mm2	2500	2500
	(b) Above 20 mm			
	Average	N/mm2	2500	2500
	Minimum	N/mm2	2300	2300
9	Internal Bond, Min			
	(a) Up to 20mm			
	Average	N/mm2	0.9	0.8
	Minimum	N/mm2	0.8	0.7
	(b) Above 20 mm			
	Average	N/mm2	0.8	0.7
	Minimum	N/mm2	0.7	0.6
10	Internal Bond, Min			
	(a) After cyclic test			
	Average	N/mm2	0.45	NA
	Minimum	N/mm2	0.40	NA
	(b) After accelerated water resistance test			
	Average	N/mm2	0.30	NA
	Minimum	N/mm2	0.25	NA
11	Screw withdrawal test, Min			
	Face	N	1500	1500
	Edge (for thick >12mm)	N	1250	1250
12	Abrasion resistance, Min	Rev		
	Type I		1000	1000
	Type II		450	450
	Type III		250	250
	Type IV		75	75
13	Resistance to steam		No sign of blister, delamination or change in surface finish. There may be slight colour change in dark colours/patterns.	
14	Resistance to crack		No sign of cracks or delamination.	
15	Resistance to stain		No any stain on the specimen after cleaning with water, solvent or detergent.	
16	Resistance to cigarette burn		No mark or stain on the specimen after cleaning with water or solvent.	
17	Formaldehyde content Fc, mg/100 gm for oven dry board		For Formaldehyde Class, E1 : Fc ≤ 8 & For Formaldehyde Class, E2 : 8 < Fc ≤ 30	
18	Steady-state Formaldehyde emission, Fc, mg/m3 (optional requirement)		For Formaldehyde Class, E1 : Fc ≤ 0.124 & For Formaldehyde Class, E2 : Fc > 0.124	

*Please contact Greenply sales representative for size and thickness details.

AVAILABLE SIZE			
8ft X 4ft (2440mm X 1220mm)			
8ft X 6ft (2440mm X 1830mm)			
AVAILABLE TYPES			
One-side laminated (OSL)			
Both-side laminated (BSL)			
One-side Bare (OSB)			
Both-side Balancing (BSB)			
STANDARD FINISH			
SUEDE			
MATT			
SUPER MATT			
AVAILABLE THICKNESS			
3mm	5.5mm	7mm	7.5mm
8mm	12mm	15mm	16mm
16.5mm	17mm	18mm	25mm
Application			
Kitchen cupboards & cabinets			
Bathroom cabinets			
Various ready to use partitions			
Modular furniture			
Tv Cabinets			
Wardrobes			
Tabletops			

CERTIFICATES

