



DECOR — KI HAR — ZARURAT — KA REPLY —





ABOUT US

Greenply Industries Limited, founded in 1984 in Mon district, is a pioneering force in discovering new prospects, fostering product innovation, and embracing sustainable methodologies. As a premier interior infrastructure company in India, Greenply Industries has left an indelible mark on interior spaces nationwide for over 30 years. With a diverse portfolio spanning plywood, MDF, block boards, decorative veneers, flush doors, and an extensive range of complementary offerings, Greenply Industries remains at the forefront of shaping the Indian interior landscape.




**WATCH GREENPLY
JOURNEY ON
HISTORY TV 18**

**SCAN TO WATCH
THE VIDEO**

MANUFACTURING AND DISTRIBUTION EXCELLENCE

Embracing innovation and leveraging cutting-edge technology, Greenply creates products that cater to the ever-evolving needs of consumers. With an unwavering commitment, Greenply sets new industry standards, reflecting its passion for delivering exceptional solutions that shape the future.





Blockboard



Veneer



PVC



Plywood

Doors



OUR OFFERING

MDF



Furnishing





GREENPLY ADVANTAGE:

Brand Legacy —



30+ Years
Of leadership and trust

Wide range of products to cater consumer needs —

Plywood | MDF | Veneers | Doors | PVC

Industry first Innovations —



4 Press
Technology



Zero Emission
E-0



Structural
Grade



Penta (5)
Technology



Okoume
Face

Progressing sustainably —



By practicing suitability as a
core of doing business

41.57 Mn - Saplings Planted
Till March 2024

50 Mn - Sapling plantation
Commitment Till 2025

Global & Domestic Certifications —



California Air
Resources Board
Regulations



Environmental
Protection
Agency



European
Conformity



Green Rating For
Integrated Habitat
Assessment



Indian
Green Building
Council



PLYWOOD & BLOCKBOARD

Greenply CLUB 700 Greenply CLUB 500 Greenply PLATINUM Greenply GOLD Greenply MARINE 710

Greenply MR 303 Greenply CLUB FLEXIPLY Greenply FLEXIPLY Greenply ABSOLUTE GOLD Greenply ABSOLUTE MR 303

OPTIMA G 710
By Greenply

OPTIMA G MR
By Greenply

ECOTEC[®]
PLATINUM
From Greenply

ECOTEC[®]
710
From Greenply

ECOTEC[®]
MR 303
From Greenply

ECOTEC[®]
BWR
From Greenply

ECOTEC[®]
TMR
From Greenply



THE PLYWOOD THAT SPELLS PURE CLASS

A structural grade plywood designed with pursuit of perfection An epitome of durability and performance
Exquisitely crafted to meet aesthetic & functional needs
Setting unbeatable benchmarks of performance and style



SCAN THIS CODE TO
EXPERIENCE THE CLASS
OF GREENPLY CLUB

WHAT DOES A CLUB MEAN ?

C = CARE



L = LUXURY



U = ULTIMATE
STRENGTH



B = BEST IN CLASS
FEATURES



**A PLYWOOD CAN'T BE CALLED AS CLUB
UNLESS IT COMPARES ON THE ABOVE
FEATURES**



A EPITOME OF LUXURY & STRENGTH

Green Club 700 is the epitome of durability, quality and performance. Exclusively crafted to meet the aesthetic and functional needs, it brings out sophistication in the most nuanced way.



Wood Like Strength:
Density & strength closer to the wood



Structural Grade:
Certified as per IS 10701



Lifetime Warranty:
Lifetime Warranty against manufacturing



Acoustically Effective:
Enhanced Noise/Sound control for quieter interiors



Borer, Fungus Proof & Anti-Termite Guarantee:
For long-lasting furniture



7x Money Back: Promise of 7X money back warranty



Zero Emission:
Zero formaldehyde emission for healthy interiors



CARB Certified: Global certification for Zero Emission plywood by California Air Resources Board



17 Layers* : that adds to the durability and strength



2X Fire Retardant:
Delaying spread of fire up to 90 minutes



Virashield: Anti-Viral and Anti-Bacterial



2x Waterproof: Water resistance up to 144 hours



Penta 5 technology : Advanced Penta 5 technology for strength & precision

Technical specifications

PARTICULARS	OBSERVED VALUES
Moisture content	5% to 20%
Density	820 Kgs/m ³
Formaldehyde Emission Level	E-0 Level
Fire Retardant Properties	Delays Fire by 90 mins*
Water Resistance Test	After 144 hrs
Adhesion of Plies	Excellent
Screw Holding Capacity	280 Kgs
Nail Holding Capacity	Upto 100 Kgs

PARTICULARS	OBSERVED VALUES
Tensile Strength:	
a) Along the grain	67 N/mm ²
b) Across the grain	46 N/mm ²
Static Bending Strength:	
a) Modulus of Rupture	
i) Along the grain	65.10 N/mm ²
ii) Across the grain	45.50 N/mm ²
b) Modulus of Elasticity	
i) Along the grain	8250 N/mm ²
ii) Across the grain	5215 N/mm ²

#Values shown are basis standard lab test results.

*Available in select thickness

ULTIMATE STRENGTH FOR SUPERIOR STRUCTURES

Make your furniture strong, durable with the Club 500 ply. Give your home and enduring touch of protection and strength with Greenply Club 500- a flagship product from the house of Greenply.

IS 10701
Structural Grade:
Certified as per IS 10701

High Durability and strength

LIFETIME WARRANTY
Lifetime Warranty:
Lifetime Warranty against manufacturing defects

FIRE SAFE
Fire Safe: Limits Spread of Fire And Emits Less Smoke

5X MONEY BACK
5x Money Back: Promise of 5X money back warranty

Zero Emission
Zero Emission: Zero formaldehyde emission for healthy interiors

CARB Certified: Global certification for Zero Emission plywood by California Air Resources Board

Borer, Fungus Proof & Anti-Termite Guarantee:
For long- lasting furniture

Penta 5 technology :Advanced Penta 5 technology for strength & precision

BWP Grade: Withstands Boiling Water Test

Virashield: Anti-Viral and Anti-Bacterial

Technical specifications

PARTICULARS	OBSERVED VALUES
Moisture content	5% to 15%
Density	770 Kgs/m ³
Formaldehyde Emission Level	E-0 Level
Water Resistance Test	108 hrs
Adhesion of Plies	Excellent
Screw Holding Capacity	230 Kgs
Nail Holding Capacity	170 Kgs
Panel Shear Strength	12.6 N/mm ²
Flame Penetration	Up to 50 mins

PARTICULARS	OBSERVED VALUES
Tensile Strength:	
a) Along the grain	60 N/mm ²
b) Across the grain	38 N/mm ²
Static Bending Strength:	
a) Modulus of Rupture	
i) Along the grain	58.70 N/mm ²
ii) Across the grain	38.60 N/mm ²
b) Modulus of Elasticity	
i) Along the grain	7750 N/mm ²
ii) Across the grain	4650 N/mm ²
Compressive Strength:	
a) Along the grain	36 N/mm ²
b) Across the grain	31 N/mm ²

#Values shown are basis standard lab test results.



2X SUPERIOR PLYWOOD

Bring the science of plywood home. PEN Technology (Phosphate Enriched Nanoparticle) makes plywood two times more fire resistant. It is twice as boiling waterproof as standard FR grade plywood since it is enriched with un-extended BWP resin.



2x Fire Retardant: Protective mesh that delays fire up to 90 minutes



Zero Emission: Zero formaldehyde emission for healthy interiors



4 Press Technology: Advanced 4 Press Technology to ensure utmost precision



2x Waterproof: Water resistance up to 144 hours



CARB Certified: Global certification for E-Zero plywood by California Air Resources Board



Calibrated: Top-notch Calibration that gives uniform thickness & super-smooth surface



2x Money Back: Promise of 2X money back warranty



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture



IS 5509: Fire retardant certification



Warranty: Best in class 30 Years Warranty against manufacturing defects



Virashield: Anti-Viral and Anti-Bacterial

Technical specifications

PARTICULARS	OBSERVED VALUES	PARTICULARS	OBSERVED VALUES
Moisture Content	5%-20%	Tensile Strength	62 N/mm ² 41 N/mm ²
Density	750 Kgs/m ³	Static Bending Strength:	
Formaldehyde Emission Level	E-0 level	(e)Modulus of Rupture	
Fire-Retardant Properties	Fully Fire-Retardant	5.Along the grain	61.90 N/mm ²
Flammability Test	>45 Minutes	6.Across the grain	57.50 N/mm ²
Flame Penetration Test	>90 Minutes	(f)Modulus of Elasticity	
Rate of Burning Test	>20 Minutes	5.Along the grain	7950 N/mm ²
Water Resistance Test	144 Hours	6.Across the grain	4890 N/mm ²
Glue Shear Strength Test:	Min.-1280 (N)	Screw Holding Capacity	250 Kgs
(a) Dry State	Avg.-1490 (N)	Nail Holding Capacity	175 Kgs
(b) Wet State	Min.-1180 (N)		
(After 72 Hours Boiling)	Avg.-1290 (N)		
Rolling Shear Strength			

#Values shown are basis standard lab test results.

Greenply GOLD

SONE JAISA KHARA :

All New GOLD 2.0 is engineered using 100% composed core and panels, seamlessly stitched with hot melt glue, offering superior waterproof and fire-safe features.



Ultimate Waterproof:
Withstands 72 hours of BWP Test



Warranty:
Best In Class 30 Years Warranty against manufacturing defects



The 4 Press Technology:
Advanced 4 Press Technology to ensure utmost precision



Fire Safe:
Ability to resist flames up to 48 mins



Borer, Fungus Proof & Anti-Termite Guarantee
For long-lasting furniture



Calibrated:
Top-notch calibration for uniform thickness & smooth surface



Zero Emission:
Zero formaldehyde emission for healthy interiors



Virashield: Anti-Viral & Anti-Bacterial



IS : 710 certified



CARB Certified:
Global certification for E-Zero plywood by California Air Resources Board



Made with BWP Grade Resole Resin To Make It Boiling Waterproof



Unextended BWP Resin

Technical specifications

PARTICULARS	OBSERVED VALUES
Moisture Content	5%-15%
Density	730 Kgs/m ³
Formaldehyde Emission Level	E-0 Level
Glue Shear Strength Test: (a) Dry State (b) Wet State (After 72 Hours Boiling)	Avg.-1450 (N) Min.-1250 (N) Avg.-1300 (N)
Mycological Test	Min.-1200 (N) Avg.-1250 (N)
Tensile Strength:	54 N/mm ² 35 N/mm ²
Flame Penetration	up to 48 mins

PARTICULARS	OBSERVED VALUES
Static Bending Strength: a) Modulus of Rupture i) Along the grain ii) Across the grain b) Modulus of Elasticity i) Along the grain ii) Across the grain	54.70 N/mm ² 35.20 N/mm ² 7590 N/mm ² 4580 N/mm ²
Screw Holding Capacity	195 Kgs
Nail Holding Capacity	110 Kgs
Retention of Preservative Chemicals (Kg/m ³)	12 Kg/m ³

Greenply

MARINE 710

ULTIMATE WATERPROOF PLY:

Made with BWP Grade Resole Resin, Greenply Marine 710 plywood stands strong against extreme water conditions and is ideal for internal applications such as kitchens, bathrooms, cabinets, etc.



Ultimate Waterproof:

Withstands 72 hours of BWP Test



Warranty:

Best In Class 25 Years Warranty against manufacturing defects



The 4 Press Technology:

Advanced 4 Press Technology to ensure utmost precision



Zero Emission:

Zero formaldehyde emission for healthy interiors



Borer, Fungus Proof & Anti-Termite Guarantee

For long-lasting furniture



Calibrated:

Top-notch calibration for uniform thickness & smooth surface



CARB Certified:

Global certification for E-Zero plywood by California Air Resources Board



Virashield: Anti-Viral & Anti-Bacterial



IS :710 certified

Technical specifications

PARTICULARS	OBSERVED VALUES	PARTICULARS	OBSERVED VALUES
Moisture Content	5%-15%	Static Bending Strength:	
Density	730 Kgs/m ³	a) Modulus of Rupture	
Glue Shear Strength Test:	Min.-1250 (N) Avg.-1450 (N)	i) Along the grain	54.70 N/mm ²
		ii) Across the grain	35.20 N/mm ²
(a) Dry State		b) Modulus of Elasticity	
(b) Wet State	Min.-1120 (N) Avg.-1250 (N)	i) Along the grain	7590 N/mm ²
(After 72 Hours Boiling)		ii) Across the grain	4580 N/mm ²
Mycological Test	Min.-1010 (N) Avg.-1210 (N)	Screw Holding Capacity	195 Kgs
Tensile Strength:	54 N/mm ² 35 N/mm ²	Nail Holding Capacity	110 Kgs
		Retention of Preservative Chemicals (Kg/m ³)	12 Kg/m ³

#Values shown are basis standard lab test results.

Greenply

MR 303

FOR ULTIMATE MOISTURE DEFENSE

Greenply MR 303 plywood has the ability to even withstand the extreme moisture condition, thereby adding an edge to the concept of durability.



Moisture Resistant:
MR grade Plywood to withstand extreme humid conditions

CALIBRATED

Calibrated: Top-notch calibration for uniform thickness & smooth surface



Warranty: 9 Years
Warranty against manufacturing defects



CE: Conforms to European Standards



Borer, Fungus Proof & Anti-Termite Guarantee:
For long-lasting furniture



IS : 303 certification



The 4 Press Technology:
Advanced 4 Press Technology to ensure utmost precision

PARTICULARS	OBSERVED VALUES	PARTICULARS	OBSERVED VALUES
Moisture Content	5%-15%	Static Bending Strength:	
Density	710 Kgs/m ³	a) Modulus of Rupture	
Glue Sheare Strength:		i) Along the grain	44.10 N/mm ²
a) Dry State	Min.-1190 (N) Avg.-1280 (N)	ii) Across the grain	40.20 N/mm ²
b) Wet State	Min.-1010 (N) Avg.-1190 (N)	b) Modulus of Elasticity	
Mycological Test	Min.-910 (N) Avg.-1090 (N)	i) Along the grain	5290 N/mm ²
		ii) Across the grain	4610 N/mm ²
		Screw Holding Capacity	175 Kgs
		Nail Holding Capacity	100 Kgs

#Values shown are basis standard lab test results.





Greenply

CLUB FLEXIPLY

REDEFINE LIVING SPACES BY ADDING CURVES TO IT.

Greenply Club Flexiply plywood is curated for the curved surfaces of your home. The high bending property, is apt for all the curved surfaces of your home where normal plywood might not work.



High Bending Property:
Flexible & durable to take any shape



Borer, Fungus Proof & Anti-Termite Guarantee:
For long-lasting furniture



Zero Emission: Zero formaldehyde emission for healthy interiors.



Virashield: Anti-Viral and Anti-Bacterial



CARB Certified: Global certification for E-Zero plywood by California Air Resources Board

Size

2440mm X 1220mm

Thickness

6mm | 8mm | 12mm

Bending Radii



6mm - 8"

8mm - 14"

12mm - 39"



10X4 EXTRA LARGE SHEETS

Our strength in developing products with strong insights has kept us forefront of delivering the consumer centric products and solutions. 10ft x 4ft plywood is yet another similar break through product that will help customers innovate and experiment with designs.

Advantages of 10x4 Extra Large Sheets :

- Joint-free large furniture
- 10x4 Veneer Pasting's
- No compromise on furniture strength & durability
- Cost efficiency to influencer
- Minimize wastage in custom size
- Handling Cost efficiency

AVAILABLE PRODUCT RANGE :

Greenply

CLUB 500

Greenply

PLATINUM

Greenply

GOLD

Greenply

MARINE 710





Greenply

ABSOLUTE

PREFERRED CHOICE FOR OEMs



CALIBRATED for
Uniform Thickness And
Utmost Precision



Made with BWP Grade
Resole Resin To Make It
Boiling Waterproof



**Borer, Fungus Proof &
Anti-Termite Guarantee:** For
long- lasting furniture



Zero Emission: Zero
formaldehyde emission
for healthy interiors.

AVAILABLE IN :

Greenply Greenply

ABSOLUTE GOLD

ABSOLUTE MR 303

BLOCKBOARD

Greenply

CLUB 700



Coated with FR Properties

LIFETIME WARRANTY

Lifetime Warranty: Lifetime Warranty against manufacturing



Zero Emission: Zero formaldehyde emission for healthy interiors



Borer, Fungus Proof & Anti-Termite Guarantee: For long- lasting furniture



Calibrated: Top-notch calibration that gives uniform thickness & super-smooth surface



Penta 5 technology : Advanced Penta 5 technology for strength & precision



Structural Grade: Certified as per IS 1659

Greenply

CLUB 500



High durability and strength

LIFETIME WARRANTY

Lifetime Warranty: Lifetime warranty against manufacturing



Fire Safe: Limits Spread of Fire And Emits Less Smoke



Zero Emission: Zero formaldehyde emission for healthy interiors



Borer, Fungus Proof & Anti-Termite Guarantee: For long- lasting furniture



Virashield: Anti-Viral and Anti-Bacterial



Penta 5 technology : Advanced Penta 5 technology for strength & precision



IS :1659 certification

Greenply

PLATINUM



Coated with FR Properties

2X WATER PROOF

2x Waterproof: Water resistance up to 144 hours



2x Money Back: Promise of 2X money back warranty



Zero Emission: Zero formaldehyde emission for healthy interiors



Borer, Fungus Proof & Anti-Termite Guarantee: For long- lasting furniture



4 Press Technology: Advanced 4 Press Technology to ensure utmost precision



Warranty: Best In Class 30 years warranty against manufacturing defects

CALIBRATED

Calibrated: Top-notch Calibration that gives uniform thickness & super-smooth surface



IS :1659: Fire retardant certification

BLOCKBOARD

Greenply

GOLD



Fortified with specially formulated un-extended BWP Grade Resin, makes it withstand 72 hrs. of BWP test



Fire Safe:
Ability to resist flames up to 48 mins



Borer, Fungus Proof & Anti-Termite Guarantee
For long- lasting furniture



Warranty:
Best In Class 30 Years Warranty against manufacturing defects



Zero Emission:
Zero formaldehyde emission for healthy interiors



The 4 Press Technology:
Advanced 4 Press Technology to ensure utmost precision



Calibrated:Top-notch calibration for uniform thickness & smooth surface



IS :1659 certified

Greenply

MARINE 710



Fortified with specially formulated un-extended BWP Grade Resin, makes it withstand 72 hrs. of BWP test



Zero Emission:
Zero formaldehyde emission for healthy interiors



Warranty:
Best In Class 25 years warranty against manufacturing defects



Virashield: Anti-Viral and Anti-Bacterial



The 4 Press Technology:
Advanced 4 Press Technology to ensure utmost precision



Borer, Fungus Proof & Anti-Termite Guarantee
For long- lasting furniture



IS :1659 certified

Greenply

MR 303



Moisture Resistant:
MR Grade Plywood to withstand extreme humid conditions



Borer, Fungus Proof & Anti-Termite Guarantee:
For long- lasting furniture



Warranty: 9 years warranty against manufacturing defects



The 4 Press Technology:
Advanced 4 Press Technology to ensure utmost precision



Calibrated: Top-notch calibration for uniform thickness & smooth surface



IS :1659 certified

OPTIMA[®] G 710

By **Greenply**

WATERPROOF PERFORMANCE GUARANTEED

Optima G 710 plywood stands out as a performance-guaranteed solution against the threats posed by water, showcasing exceptional quality and reliability across diverse and challenging environments.



Water-Proof: BWP Grade Resole Resin protection



Zero Emission: Zero formaldehyde emission for healthy interiors



IS: 710 Certified



CARB Certified: Global certification for Zero Emission plywood by California Air Resources Board



Borer, Fungus Proof & Anti-Termite Guarantee: For long- lasting furniture



The 4 Press Technology: Advanced 4 Press Technology to ensure utmost precision



Warranty: Best in class 21 Years Warranty against manufacturing defects



Calibrated: Uniform thickness and utmost precision



Virashield: Anti-Viral and Anti-Bacterial

Technical specifications

PARTICULARS	OBSERVED VALUES
Density	710 Kgs/m ³
Formaldehyde Emission Level	E-0 Level
Water Resistance Test	After 72 hours
Thickness	Max: 18.50 mm
Glue Shear Strength: (a) Dry State (b) Wet State (After 72 hrs. boiling)	Avg.-1470 (N) Avg.-1180 (N)
Tensile Strength: (a) Along the grain (b) Across the grain	52 N/mm ² 36N/mm ²

PARTICULARS	OBSERVED VALUES
Static Bending Strength: (a) Modulus of Rupture (i) Along the grain (i) Across the grain (b) Modulus of Elasticity (i) Along the grain (i) Across the grain	50.70 N/mm ² 39.60 N/mm ² 7550 N/mm ² 4450 N/mm ²
Moisture Content	9%
Screw Holding Capacity	180 Kgs

#Values shown are basis standard lab test results.

OPTIMA[®] G MR

By Greenply

MOISTURE PROOF PERFORMANCE GUARANTEED

Optima G MR grade plywood is a top-notch choice, when it comes to high-quality commercial plywood, topping expectations with its outstanding performance.



Moisture Resistant:

MR Grade Plywood to withstand humid conditions



The 4 Press Technology:

Advanced 4 Press Technology to ensure utmost precision



IS: 303 Certified



Calibrated: Uniform thickness and utmost precision



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture



Warranty: 7 years warranty against manufacturing defects

Technical specifications

PARTICULARS	OBSERVED VALUES	PARTICULARS	OBSERVED VALUES
Density	700 Kgs/m ³	Static Bending Strength:	
Thickness Tolerance	Avg. 18.00 mm	(a) Modulus of Rupture	
Glue Shear Strength:		(i) Along the grain	39 N/mm ²
(a) Dry State	Avg.-1110 (N)	(i) Across the grain	35 N/mm ²
(b) Wet State	Avg.-1000 (N)	(b) Modulus of Elasticity	
Adhesion of Plies	Excellent	(i) Along the grain	4900 N/mm ²
Moisture Content	9%	(i) Across the grain	3600 N/mm ²
Screw Holding Capacity	150 Kgs		

#Values shown are basis standard lab test results.



BLOCKBOARD

Optima G blockboards offers an unrivalled durability, setting them apart as a reliable choice for various applications. Optima G blockboards are engineered to deliver exceptional strength and longevity, making them a preferred option for those seeking enduring performance

OPTIMA^G 710

By *Greenply*



Water-Proof: BWP Grade Resole Resin protection



Borer, Fungus Proof & Anti-Termite Guarantee: For long- lasting furniture



Warranty: Best in class 21 Years Warranty against manufacturing defects



Zero Emission: Zero formaldehyde emission for healthy interiors



The 4 Press technology: Advanced 4 Press Technology to ensure utmost precision

CALIBRATED

Calibrated: Uniform thickness and utmost precision

BWP

BWP Grade Resole Resin: Boiling Water Proof with unextended BWP Resin



Virashield: Anti-Viral and Anti-Bacterial



IS :1659 Certified

OPTIMA^G MR

By *Greenply*



Moisture Resistant: MR Grade Plywood to withstand humid conditions



Borer, Fungus Proof & Anti-Termite Guarantee: For long- lasting furniture



Warranty: 7 years warranty against manufacturing defects



The 4 Press Technology: Advanced 4 Press Technology to ensure utmost precision



Calibrated: Uniform thickness and utmost precision



IS :1659 Certified



ECOTEC[®] PLATINUM

From Greenply

LOW FORMALDEHYDE EMISSION PLYWOOD

Transform your home into an eco-conscious space with low-emission solutions. Every Ecotec plywood sheet goes through stringent 10 point quality checks at multiple points from factory to warehouse making it a testimony of Kaam Sahi, Daam Sahi.



IS: 710 Certified



Low Emission: Low Formaldehyde Emission for healthy interiors



BWP Grade Resole Resin: Boiling Water Proof with unextended BWP Resin



Warranty: Best In Class 15 Years Warranty against manufacturing defects



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture



Calibrated: Uniform thickness and utmost precision



ViraShield: Anti-Viral and Anti-Bacterial



100% Composed Core: To ensure strength with durability.

Technical specifications

PARTICULARS	OBSERVED VALUES	PARTICULARS	OBSERVED VALUES
Formaldehyde Emission Level	Low Emission	Tensile Strength:	
Water Resistance Test	After 72 hours Excellent	a) Along the grain	53 N/mm ²
Thickness Tolerance	Max: 18.50 mm Min: 18.20 mm Avg. 18.40 mm	b) Across the grain	34N/mm ²
Glue Sheare Strength:		Static Bending Strength:	
a) Dry State	Min.-1240 (N) Avg.-1470 (N)	a) Modulus of Rupture	
b) Wet State	Min.-1050 (N) Avg.-1180 (N)	i) Along the grain	52.10 N/mm ²
(After 72 hrs. boiling)		ii) Across the grain	45.50 N/mm ²
Adhesion of Plies	Excellent	b) Modulus of Elasticity	
Moisture Content	10%	i) Along the grain	7580 N/mm ²
		ii) Across the grain	4460 N/mm ²
		Screw Holding Capacity	200 Kgs

#Values shown are basis standard lab test results.





ECOTEC® 710

From Greenply

AFFORDABLE WATERPROOF PLYWOOD

Quality protection at an affordable price. Every Ecotec plywood sheet goes through stringent 10 point quality checks at multiple points from factory to warehouse making it a testimony of Kaam Sahi, Daam Sahi.



IS: 710 Certified



Water-Proof: BWP Grade Resole Resin protection



Warranty: 10 years warranty against manufacturing defects



BWP Grade Resole Resin: Boiling Water Proof with unextended BWP Resin



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture

Technical specifications

PARTICULARS	OBSERVED VALUES
Density	690 Kgs/m ³
Formaldehyde Emission Level	Low Emission
Water Resistance Test	After 72 hours Excellent
Maximum Thickness Tolerance	Max: 18.40 mm
Glue Shear Strength:	
a) Dry State	Min.-1230 (N) Avg.-1420 (N)
b) Wet State (After 72 hrs. boiling)	Min.-1020 (N) Avg.-1090 (N)
Adhesion of Plies	Excellent
Screw Holding Capacity	180 Kgs

PARTICULARS	OBSERVED VALUES
Tensile Strength:	
a) Along the grain	50 N/mm ²
b) Across the grain	31 N/mm ²
Static Bending Strength:	
a) Modulus of Rupture	
i) Along the grain	53.30 N/mm ²
ii) Across the grain	40.20 N/mm ²
b) Modulus of Elasticity	
i) Along the grain	7510 N/mm ²
ii) Across the grain	4340 N/mm ²
Moisture Content	10%

#Values shown are basis standard lab test results.



ECOTEC[®] MR 303

— From Greenply —

ULTIMATE MOISTURE RESISTANT PLYWOOD

Maximum moisture resistance embodied in our ultimate plywood. Every Ecotec plywood sheet goes through stringent 10 point quality checks at multiple points from factory to warehouse making it a testimony of Kaam Sahi, Daam Sahi.



Moisture Resistant:
MR Grade Plywood to withstand humid conditions



Borer Proof: Keeps borers away for long lasting furniture



IS : 303 Certified MR
Grade Plywood



Pre-Pressed: New age technology that makes plywood more durable



Warranty: 5 years warranty against manufacturing defects

Technical specifications

PARTICULARS	OBSERVED VALUES	PARTICULARS	OBSERVED VALUES
Density	570 Kgs/m ³	Tensile Strength:	
Formaldehyde Emission Level	Low Emission	a) Along the grain	44 N/mm ²
Thickness Tolerance	Max. 18.35 mm Min: 17.35 mm Avg. 17.55 mm	b) Across the grain	26.5 N/mm ²
Adhesion of Plies	Excellent	Static Bending Strength:	
Moisture Content	8%	a) Modulus of Rupture	
Screw Holding Capacity	180 Kgs	i) Along the grain	51 N/mm ²
		ii) Across the grain	31 N/mm ²
		b) Modulus of Elasticity	
		i) Along the grain	7570 N/mm ²
		ii) Across the grain	4250 N/mm ²

#Values shown are basis standard lab test results.

BLOCKBOARD

ECOTEC® PLATINUM

From *Greenply*



Low Emission: FLOW Formaldehyde Emission for Healthy Interiors



100% Pine Wood Frame: Made with best quality pine wood frame



Warranty: Best In Class 15 Years Warranty against manufacturing defects



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture



BWP Grade Resole Resin: Boiling Water Proof with unextended BWP Resin



Calibrated: Uniform thickness and utmost precision



IS :1659 Certification



Water-Proof: BWP Grade Resole Resin protection



Warranty: 10 years warranty against manufacturing defects



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture



IS :1659 Certification



Moisture Resistant: MR Grade Plywood to withstand humid conditions



Warranty: 5 years warranty against manufacturing defects



Borer Proof: Keeps borers away for long lasting furniture



IS :1659 Certified MR Grade Plywood



Moisture Resistant: TMR Grade Blockboard for humid conditions



Borer Proof: Keeps borers away for long lasting furniture



Preservative Treated



Warranty: 5 years warranty against manufacturing defects



IS :1659 certification



DOORS

ENDURING TRUST & PEACE OF MIND

First knock on a door is considered as first impression. And like every corner of the house, it demands equal attention.

Greenply doors is a perfect blend of durability and tranquility. Build to stand the test of time and provide a haven of security and serenity.

Our range zero emission, waterproof and weatherproof doors are not just a part of interior space; they're a commitment to comfort and peace of mind.





Greenply DOORS CLUB

FORTIFYING LIVING SPACES



Zero Emission: Zero formaldehyde emission for healthy interiors



Lifetime Warranty: Lifetime Warranty against manufacturing defects



100% Pine Wood Frame & Filler



3X Money Back: Promise of 3X money back warranty



Weatherproof: Withstand all weather changes



IS :2202 Certification



Borer, Fungus Proof & Anti-Termite Guarantee: For long- lasting furniture





Greenply DOORS PLATINUM

DOORS THAT STAND THE TEST OF TIME



Zero Emission: Zero formaldehyde emission for healthy interiors



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture



100% Pine Wood Frame & Filler



Warranty: Best In Class 30 years warranty against manufacturing defects



Weatherproof: Withstand all weather changes



IS: 2202 certification



Greenply DOORS GOLD

BOILING WATERPROOF DOORS



Weather Resistance:
Resistant to weather changes



Warranty: Best In Class
25 years warranty against manufacturing defects



Borer, Fungus Proof & Anti-Termite Guarantee:
For long-lasting furniture



IS : 2202 Certification



Zero Emission: Zero formaldehyde emission for healthy interiors

Greenply DOORS

BOILING WATERPROOF DOORS



Weather Resistance:
Resistant to weather changes



BWP Grade: Boiling Water Proof with unextended BWP Resin



Borer, Fungus Proof & Anti-Termite Guarantee: For long-lasting furniture



IS :2202 Certification



Low Emission: Low Formaldehyde Emission for Healthy Interiors



Warranty: Best In Class
25 years warranty against manufacturing defects



Dimensionally Stable



OPTIMA^G DOORS

By *Greenply*

AN ENTRANCE MARKED BY ASSURANCE



Weather Resistance:
Resistant to weather changes



Warranty: Best In Class 21 years warranty against manufacturing defects



IS :2202 Certification



Low Emission: Low Formaldehyde Emission for Healthy Interiors



ECOTEC[®] DOORS

PLATINUM

From *Greenply*

BOILING WATERPROOF DOORS



**Weather & Boil
Proof**



Warranty: Best In
Class 15 years
warranty against
manufacturing defects



**Borer, Fungus Proof &
Anti-Termite Guarantee:**
For long- lasting
furniture



IS :2202 Certification





ECOTEC DOORS

From *Greenply*



Borer, Fungus & Termite Resistance: For long-lasting doors



Warranty: 5 years warranty against manufacturing defects



IS :2202 Certification



NDURE PVC BOARDS & DOORS

PROMISE OF AESTHETICS & DURABILITY

PVC/WPC boards and doors in the Green Endure range are lead-free, making them an environmentally conscious choice for the interiors. Every living space will be made healthy and appealing thanks to its waterproof and fireproof construction.



Premium Plus

PVC/WPC BOARDS



Premium

PVC/WPC BOARDS



Marbbele

PVC/WPC BOARDS



COMMANDOO

DOORS



Rokeko

DOORS




LEAD-FREE



FIRE RETARDANT



WATER-PROOF





Premium Plus

PVC/WPC BOARDS

ENDURES LIKE WOOD, LASTS FOR LIFE



Superior Density
0.62 g/cm³ for extra strength



Combination of strength with durability for long lasting performance



Lead Free PVC Boards for healthier environment



Termite & Borer Proof for longlasting performance



Limits spread of fire and emits less smoke



Ideal for application in high moisture areas



Inhibits growth of harmful bacteria & development of fungi



Minimizing waste and supporting environmental stewardship

Product Specifications

Standard Size:

2440 mm X 1220 mm

PVC/WPC Thickness:

6, 8, 12, 15, 18, 25 mm





Premium
PVC/WPC BOARDS

WHERE ARTISTRY MEETS PRECISION



Superior Density
0.55 g/cm³ for extra strength



Combination of strength with durability for long lasting performance



Lead Free PVC Boards for healthier environment



Termite & Borer Proof for longlasting performance



Limits spread of fire and emits less smoke



Ideal for application in high moisture areas



Inhibits growth of harmful bacteria & development of fungi



Minimizing waste and supporting environmental stewardship

Product Specifications

Standard Size:

2440 mm X 1220 mm

PVC/WPC Thickness:

6, 8, 12, 15, 17, 18, 25 mm





Marbbele
PVC/WPC BOARDS

VALUE FOR MONEY ALTERNATIVE TO HARDWOOD



Superior Density
0.47 g/cm³ for extra
strength



Combination of strength
with durability for long
lasting performance



Limits spread of
fire and emits
less smoke



Termite & Borer
Proof for longlasting
performance



Inhibits growth of
harmful bacteria &
development of fungi



Ideal for application in
high moisture areas

Product Specifications

Standard Size:

2440 mm X 1220 mm

PVC/WPC Thickness:

6, 8, 12, 15, 17 mm



FOR ELEGANT & STYLISH INTERIORS



Limits spread of fire and emits less smoke



Ease of cleaning and maintenance free



Ideal for application in high moisture areas



Variety to designs to choose from



Treated with special chemical to protect against natural decay



Eco-friendly product, helps reduce impact on Environment



Termite & Borer Proof for longlasting performance

CROSS-SECTIONAL DIMENSIONS (IN MM)	50 X 60
STANDARD LENGTH (IN Feet)	5





FOR COMPLETE STABILITY & VERSATILITY



Strengthened with polymeric reinforcement to avoid weathering



Resistance to weathering elements, including sunlight, rain, cold, and extreme temperatures



Requires No Maintenance



Termite & Borer Proof for lasting performance




Designed for stability & versatility



Cost Effective

CROSS-SECTIONAL DIMENSIONS (IN MM)	40 X 48
STANDARD LENGTH (IN FEET)	5



INTRODUCING THE WORLD OF AESTHETICALLY DESIGNED GREENPLY VENEERS

Decorative veneers from Greenply is an amalgamation of style and substance. Driven by art, chiselled by science and inspired by natures, decorative veneers from Greenply are just like masterpiece of an art that can elevate any space to a whole new level of luxury.

**Wood
crrests**
— Veneers from *Greenply* —

**Burma
Teak**
— Veneers from *Greenply* —

**Royal
Crown**
— Veneers from *Greenply* —

**Kohl
Forest**
— Veneers from *Greenply* —

**ENGINEERED
VENEERS**
— From *Greenply* —





EXQUISITELY CRAFTED

Elevate your spaces to unparalleled heights of elegance, and immerse yourself in a world where beauty knows no bounds. Made from the finest timber source from exotic forests of Europe, bearing natural grains and pattern, Woodcrrests veneers from Greenply are crafted exquisitely to deliver ultimate luxury. It gives your home something that is beyond justa décor.

DECO REAL (NATURALS)

FUMED NOUVEAU (ROASTED)

STERLING SOLITAIRE (EXCLUSIVE)

THE WOODCRRESTS VENEER DIFFERENCE



Zero Emission Veneers
for Safer Interiors



Automated finishing
process for identical surface
output across the sheet



Sourced from the exotic
forests of Canada, Brazil,
Argentina, Italy, Germany
& Africa



BWP Grade
base ply



Pre-pressed technology
for better stability



Burma Teak

Veneers from *Greenply*

BRINGING OUT THE BEST IN SPACES

A symbol of elegance & luxury, these natural veneers are made of 100% Burma Teak. They are available in horizontal/vertical grain as well as One-Sided Teak (OST) and Both-Sided Teak (BST) grades.



Giving unconventional look to the furniture and panels



Negligible emission to ensure safe interiors



Borer & Termite Resistance for long-lasting performance



Individual Veneers treated with specialty preservatives before assembly



Confirms to BWP grade as per IS:1328 (1996)



Eco-friendly with negligible emissions



Royal
Crown
Veneers from *Greenply*

THE CROWNING GLORY OF GRACEFUL LIVING

Royal Crown veneers are crafted with meticulousness to suit every interior, Sourced from the most luscious teak forests in the world. These crowns cut veneers are a perfect amalgamation of nature's best gift, advanced with the most cutting-edge process.



Made from pure exotic teak wood, crown-cut to give each piece a magnificent look



Negligible emission to ensure safe interiors



Borer Proof & Termite Resistant



Individual Veneers treated with specialty preservatives before assembly



Confirms to BWP grade as per IS:1328 (1996)



Exotic Teak Wood





A ROYAL SHADE INSIDE

Kohl Forest offers an exotic dark species of natural veneers, further roasted to give a unique, rich shade of elegance to your interior spaces. A unique process is perfected to bring rich shades of veneers which feel vogue.



For stunning interior appeal



Negligible emission to ensure safe interiors



Borer Proof & Termite Resistant



Individual Veneers treated with specialty preservatives before assembly



Confirms to BWP grade as per IS:1328 (1996)



Exotic Grain Design



ENGINEERED VENEERS

From *Greenply*

FOR AN EXOTIC DESIGN EXPRESSION

Every home is a unique canvas, every wall is a mute storyteller. At Greenply every sheet of veneer tells a unique tale of living exotic luxury. The engineered veneer will help you to express your style by telling your own story. Affordable and eco-friendly it promises an enduring balance between sustainability and posh living. Marked by superior grade consistency and uniformity of colour this is an excellent alternative to the rare wooden species that are depleting fast. Our high-quality veneers are engineered with finest grade factory in compliance with International quality standards



Unique designs



Confirms to BWP
grade as per
IS:1328 (1996)



Eco-friendly, helps
reduce impact on
Environment



Healthy, Safe and
Environment friendly
confirming to European
standards



Borer & Termite
Resistance for long-lasting
performance



FURNISHING

Transform your living space into a sanctuary of sustainable living with Vescom's range of sustainable wallcoverings, curtains, and upholstery, designed to make your interiors feel safe and beautiful, it is exclusively promoted in India by Greenply.

VESCOM



VESCOM

WHERE FORM AND FUNCTION GO HAND IN HAND!

Transform your living space into an oasis of sustainable design with Vescom's range of sustainable wallcoverings, curtains, and upholstery, designed to make your interiors safe and beautiful, exclusively marketed in India by Greenply.



A+ rated indoor air quality



Global Certifications -USCG
Certified, Full IMO Certified EN
standards compliant, Vinyl+ Certified



100% recyclable



Flame retardant and color
fastness to light



Can be customized with
any and every print

PRODUCT RANGE :

WALL COVERING | UPHOLSTERY | CURTAIN



SPECIALITY PLYWOOD

REDUCES LABOR COST & SAVES TIME

Green Compreg range of super strong and highly compressed plywood is used in various construction-specific applications for building structures, materials for rail coach furnishing, automobile body & platforms, materials meant for general engineering, chemical plants, power generation system etc. The range of products under Green Compreg offer the best in quality & performance for each of your requirements.

Features :



Negligible interiors to ensure safe interiors



Borer & Termite Resistance for long-lasting performance



Treated with specialty preservatives for long lasting performance



Healthy, Safe and Environment friendly confirming to European standards

Greenply

COMPREG



Ideal application:

Concrete formwork for beams pillars,
columns and slab

Site offices and Mezzanine floors Pallets
for paving industry

Automobile Industry Bus and truck flooring

Features:



More reuses/repetitions
reduces overall cost of
construction



Balanced construction
provides high static
bending strength



High GSM Film enhances
surface finish & abrasion
resistance



Bigger size availability
reduces labor cost, saves time
& smooth finish



Dimensionally stable &
structurally strong



Plywood
Conforms to IS: 4990



MDF

Greenply MDF, rendered with cutting-edge PROD-IQ NEO TECH uses Artificial Intelligence to analyse the microfibers and deliver each board with utmost precision. Greenply MDF is designed prudently based on the application it offers, Greenply MDF range is available in three grades as follows

Greenply
INTERIOR MDF

Greenply
EXTERIOR MDF

Greenply
PRELAM MDF

Greenply
710 HDMR HDF

Greenply
CARB P2 MDF

Greenply
BOIL PRO 500





Greenply Industries Limited

Corporate Address-:

Madgul Lounge, 5th & 6th Floor, 23 Chetla Central
Road, Chetla, Kolkata - 700027
West Bengal, India

Website: www.greenply.com

Email: marketing.ply@greenply.com

Toll free: 1800-103-4050